

Syrian Electronic Payment Co.

Joint-Stock Company, Nominal Capital SYP 1 billion

Registered under CR#17581

الشركة السورية للمدفوعات الإلكترونية

شركة مساهمة مغلقة رأسمالها الاسمي: مليار ليرة سورية
تملك الدولة ممثلة بالخرزينة العامة أسهمها كافة

مسجلة في السجل التجاري تحت الرقم 17581

SEP EBPP GATEWAY

*An Integrated National Electronic Bill Presentment
and Payment (EBPP) Gateway in Syria*

Design Document for Biller Integration Guide

RIGHTS NOTICE

All rights reserved. These materials are confidential and proprietary to Syrian Electronic Payment Co. (SEP). No part of these materials should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieval system nor should the materials be disclosed to third parties without the express written authorization of SEP.

Table of Contents

1. Biller Web Services Interface	4
1.1 Authentication	4
1.1.1 Biller Customer Authentication	4
1.1.1.1 SOAP Request	4
1.1.1.2 SOAP Response	4
2.1 Bills & e-Vouchers Upload	5
2.1.1 Upload Push Mode	5
2.1.1.1 SOAP Request	5
2.1.1.2 SOAP Response	6
2.1.2 Upload Pull Mode	7
2.1.2.1 SOAP Request	7
2.1.2.2 SOAP Response	8
2.2 Bill Payment Management	9
2.2.1 Bill Presentment	9
2.2.1.1 SOAP Request	9
2.2.1.2 SOAP Response	10
2.2.2 Bill Payment	11
2.2.2.1 SOAP Request	11
2.2.2.2 SOAP Response	12
2.2.3 Bill Payment Notification	12
2.2.3.1 SOAP Request	12
2.2.3.2 SOAP Response	13
2.3 Pre-Paid Management	14
2.3.1 Pre-paid Inquiry	14
2.3.1.1 SOAP Request	14
2.3.1.2 SOAP Response	15
2.3.2 Biller Pre-paid Payment	15
2.3.2.1 SOAP Request	15
2.3.2.2 SOAP Response	16

Syrian Electronic Payment Co.

Joint-Stock Company, Nominal Capital SYP 1 billion

Registered under CR#17581

الشركة السورية للمدفوعات الإلكترونية

شركة مساهمة مغلقة رأسمالها الاسمي: مليار ليرة سورية
تملك الدولة ممثلة بالخرزينة العامة أسهمها كافة
مسجلة في السجل التجاري تحت الرقم 17581

2.3.3	Biller Pre-Paid Payment Notification	17
2.3.3.1	SOAP Request	17
2.3.3.2	SOAP Response.....	18

1. Biller Web Services Interface

1.1 Authentication

1.1.1 Biller Customer Authentication

1.1.1.1 SOAP Request

Below is an example of SOAP XML request to be sent by biller to SEP Gateway:

SOAP REQUEST FOR BILLER CUSTOMER AUTHENTICATION

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bill="http://service/Biller_customer_authentication.wsdl"
xmlns:typ="http://service/Biller_customer_authentication.wsdl/types/">
  <soapenv:Header/>
  <soapenv:Body>
    <bill:billerCustomerAuthentication>
      <wsRequest>
        <typ:paramIn>
          <typ:billerCode>BL0801</typ:billerCode>
          <typ:password>12345678</typ:password>
        </typ:paramIn>
        <typ:signature>41pCNvyj4eBGtPAEk17cigmtZJFDE/nr6DqPHNS8T3q9gsvsvvJZCr3JmQC/D+7RGZq35FK8Q1fG
JGZ64D7UHR6b0Od7Kc66qaHZHvzT1kB1vZdy9+c68mPg0bhdZKYxUnzbL/2IBQAek9q6elxhgm6W
qZ+B/8cqjZ648IVVnF7v2ST33olzoTjaUqG2XnOakkd4NfEKFR1AjRZqCMGdoc6tlej9VbudBR+h
axRMogVprGpKSpgFx1HrxmMaymM7uolg2swuQPI76hvNUZPFJyCTvxVIUbei6xz8I6JWj0Zh0X/
kVAgNuQcKbtIkMqR/htzMcPizY2k/gHFYHQsQ==</typ:signature>
      </wsRequest>
    </bill:billerCustomerAuthentication>
  </soapenv:Body>
</soapenv:Envelope>
```

1.1.1.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by SEP Gateway and sent to biller:

SOAP RESPONSE FOR BILLER CUSTOMER AUTHENTICATION

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
  <env:Header/>
  <env:Body>
    <m:billerCustomerAuthenticationResponse xmlns:m="http://service/Biller_customer_authentication.wsdl">
      <result>
        <typ:paramOut xmlns:typ="http://service/Biller_customer_authentication.wsdl/types/">
          <typ:errorCode>000</typ:errorCode>
        </typ:paramOut>
      </result>
    </m:billerCustomerAuthenticationResponse>
  </env:Body>
</env:Envelope>
```

Syrian Electronic Payment Co.

Joint-Stock Company, Nominal Capital SYP 1 billion

Registered under CR#17581

الشركة السورية للمدفوعات الإلكترونية

شركة مساهمة مغلقة رأسمالها الاسمي: مليار ليرة سورية
تملك الدولة ممثلة بالخزينة العامة أسهمها كافة
مسجلة في السجل التجاري تحت الرقم 17581

```
<typ:errorDescription>SUCCESSFULL</typ:errorDescription>
<typ:tokenKey>8C615A650285A55790CF373E71420B1C3923BB0E7103A9243DD01E4FA65DE24AD118F4AE4D3B26314
415A1D020968C22</typ:tokenKey>
  <typ:expiryDate>20190425213320</typ:expiryDate>
</typ:paramOut>
  <typ:signature xmlns:typ="http://service/Biller_customer_authentication.wsdl/types/">
R6ZnARLNEq6sbJ1Vk49Ry9u5pi4hNi6QQ4wrLt+3NfHd0xvoIO+rcOfecdcmlvRt70F137MTnBk
VManM80JPpvU2yNPEsIJd92DlkCSSaCVdgCqxXR4WU4EU+O9RjwcRoA9sb0TUqQvnjErXjWV4Z2
MTZp8VIEGKTOBwB6VISvljwpaDyqgDjGofox6LfxTjncaHDyluqnv8CCI3809P5UoOAWpev6JXP
RGE71dbZJ9DWSC4jKltbTRq7ZcsBdMnK5u8O03cTfrwq85ewPujR7367LVYNEHzA1ny3nCI0BUt
yZzXkfnlWgGgTDY8VOF6ljP6aTNTQ7KGj6kHw==</typ:signature>
  </result>
</m:billerCustomerAuthenticationResponse>
</env:Body>
</env:Envelope>
```

2.1 Bills & e-Vouchers Upload

2.1.1 Upload Push Mode

2.1.1.1 SOAP Request

Below is an example of SOAP XML request to be sent by biller to SEP Gateway:

SOAP REQUEST FOR BILLER BILL UPLOAD PUSH MODE

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bil="http://service/Biller_bill_upload_push_mode.wsdl"
xmlns:typ="http://service/Biller_bill_upload_push_mode.wsdl/types/">
  <soapenv:Header/>
  <soapenv:Body>
    <bil:billerBillUploadPushMode>
      <wsRequest>
        <typ:paramIn>
          <typ:billerCode>BL0801</typ:billerCode>
          <typ:tokenKey>8C615A650285A55790CF373E71420B1C3923BB0E7103A9243DD01E4FA65DE24AD118F4AE4D3B26314
          415A1D020968C22</typ:tokenKey>
          <typ:uploadMode>P</typ:uploadMode>
          <typ:billingsRec>
            <typ:array>
              <typ:billingNo>BL003</typ:billingNo>
              <typ:billNo>BI001</typ:billNo>
              <typ:billStatus>BillNew</typ:billStatus>
              <typ:dueAmount>2000</typ:dueAmount>
```

```
<typ:issueDate>20190425000000</typ:issueDate>
<typ:openDate>20190425000000</typ:openDate>
<typ:dueDate>20190525000000</typ:dueDate>
<typ:expiryDate>20190526000000</typ:expiryDate>
<typ:closeDate>20190526000000</typ:closeDate>
<typ:serviceType>FixedLine</typ:serviceType>
<typ:billType>Recurring</typ:billType>
<typ:allowPart>Y</typ:allowPart>
<typ:lowestToPay>100</typ:lowestToPay>
<typ:highestToPay>2000</typ:highestToPay>
<typ:allowOver>Y</typ:allowOver>
<typ:highestToOverPay>1000</typ:highestToOverPay>
<typ:denomination></typ:denomination>
<typ:serialNumber></typ:serialNumber>
<typ:validationCode></typ:validationCode>
<typ:message>This is a new bill</typ:message>
</typ:array>
</typ:billingsRec>
</typ:paramIn>
<typ:signature>idrNngBaRkEbIY605R/mJbeLWf0BH6zAaoOzoiL5fadytQyXp/Ar/2kqFUTCxG/2Qji7eY5r4cN/
D8RG0J8iT/dxKng83I5CDyBVbdq+vCGG64Yc10ztFbzkmohSutjnqAyU6I9HiY0VUVvt6USwDS/
8IU6rHpLZbxzuDRW2xw7vo39BXj9kIcmyI3/wHMh7F8opJqFahXZAPyjJR0mw+41mV6r/oOD8MKT
NegUDpRUsEAyoPIF/iwCd4Mu8CLye9X/UW0DhY8M697VZahqinLOX9zbHwu21uW6fU1Km53Gh6L
waNaoJ7S04N0HIFuvCjt0iZf4zACg8Ddpc0JDg==</typ:signature>
</wsRequest>
</bil:billerBillUploadPushMode>
</soapenv:Body>
</soapenv:Envelope>
```

2.1.1.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by SEP Gateway and sent to biller:

SOAP RESPONSE FOR BILLER BILL UPLOAD PUSH MODE

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
  <env:Header/>
  <env:Body>
    <m:billerBillUploadPushModeResponse xmlns:m="http://service/Biller_bill_upload_push_mode.wsdl">
      <result>
        <typ:paramOut xmlns:typ="http://service/Biller_bill_upload_push_mode.wsdl/types/">
          <typ:errorCode>000</typ:errorCode>
          <typ:errorDescription>SUCCESSFULL</typ:errorDescription>
        </typ:paramOut>
      </result>
    </m:billerBillUploadPushModeResponse>
  </env:Body>
</env:Envelope>
```

```
<typ:signature xmlns:typ="http://service/Biller_bill_upload_push_mode.wsdl/types/">
fad1wjMFJbXpvWqczDsvM/2cTRSVo1JVyfx4E1hgHflInZrdAYXsUwaS6BBZjjF6QxHCu/FT3ZyH
mFbwLsSmemZ2Djbb3K/epcqKA9TYh7ggjpw6gMpXw8pKW1kJ6PUhINZXn4y98p41431rUhLR8/Po
48rnmCRxgYCrMzXHhO2yUi0BoXdH1NuKTZM8MIZ9uACemoxr07+W6f9DNKhvndGndLUrYsGIHGnD
s9KaVzDS1/Baekfoon9NlyBE7ARa8I5PL8wkRon+wlxmcXIU1XF6rk0nw26KAejvWTG0g4CiGz24
kr+I0jXOD+It0oMLLUI4hWZTDzYMrnn6sYJTsQ==</typ:signature>
</result>
</m:billerBillUploadPushModeResponse>
</env:Body>
</env:Envelope>
```

2.1.2 Upload Pull Mode

2.1.2.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER BILL UPLOAD PULL MODE

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bil="http://service/Biller_bill_upload_pull_mode.wsdl"
xmlns:typ="http://service/Biller_bill_upload_pull_mode.wsdl/types/">
<soapenv:Header/>
<soapenv:Body>
<bil:billerBillUploadPullMode>
<wsRequest>
<typ:paramIn>
<typ:billerCode>BL0801</typ:billerCode>
<typ:uploadMode>R</typ:uploadMode>
<typ:billingsRec>
<typ:billingNo>BN_0071</typ:billingNo>
<typ:billNo>BL_0002</typ:billNo>
<typ:serviceType>FixedLine</typ:serviceType>
</typ:billingsRec>
</typ:paramIn>
<typ:signature>EXsDHZprh+gvBwGKKmhJmYciMNWewepOST04O8FkZTiAoZzVI1BbX+Wrho/31kYCZfc3tYjGb3jj
gkzjf3xTalxr8581Pifq2XTe5yLSv1t5SqbQUnatobbjtk5sL5+ZoU/u81921MoXO0CZmV6p+6XV
ohyWeH8Q6vly94R3ejQcamzftpaBVjuK247Rh3jtRx1LOU7YBYL+heGJzqawiczCvDUF4Ksqqx2
gAdU+UtZ6+uZA4SstJDzDt0OfwkNP/2byseB3MLHcyFfyv0thuMTYOLq14j1ij9WskEe5HDxXXF
L7WZjlpmEhN2pApJQcen9IGt2ZHjdLTnufkD+Q==</typ:signature>
</wsRequest>
</bil:billerBillUploadPullMode>
</soapenv:Body>
</soapenv:Envelope>
```

2.1.2.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER BILL UPLOAD PULL MODE

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <env:Header/>
  <env:Body>
    <m:billerBillUploadPullModeResponse xmlns:m="http://service/Biller_bill_upload_pull_mode.wsdl">
      <result>
        <typ:paramOut xmlns:typ="http://service/Biller_bill_upload_pull_mode.wsdl/types/">
          <typ:errorCode>000</typ:errorCode>
          <typ:errorDescription>SUCCESSFUL</typ:errorDescription>
          <typ:billingsRec>
            <typ:array>
              <typ:billingNo>BN_0071</typ:billingNo>
              <typ:billNo>BL_0002</typ:billNo>
              <typ:billStatus>BillNew</typ:billStatus>
              <typ:dueAmount>3000.25</typ:dueAmount>
              <typ:issueDate>20190227140000</typ:issueDate>
              <typ:openDate>20190227140000</typ:openDate>
              <typ:dueDate>20190327140000</typ:dueDate>
              <typ:expiryDate>20190427140000</typ:expiryDate>
              <typ:closeDate>20190427140000</typ:closeDate>
              <typ:serviceType>FixedLine</typ:serviceType>
              <typ:billType>OneOff</typ:billType>
              <typ:allowPart>Y</typ:allowPart>
              <typ:lowestToPay>100</typ:lowestToPay>
              <typ:highestToPay>3000.25</typ:highestToPay>
              <typ:allowOver>N</typ:allowOver>
              <typ:highestToOverPay>0</typ:highestToOverPay>
              <typ:message>This is a bill of 03/2019 :)</typ:message>
            </typ:array>
            <typ:array xsi:nil="true"/>
          </typ:billingsRec>
        </typ:paramOut>
        <typ:signature xmlns:typ="http://service/Biller_bill_upload_pull_mode.wsdl/types/">
          IIKOKsiNiiCOp72hrI+dzbKHZxEXgmkUoCO2qSn9vqSorSbHwwpRPDfdAG/29xKPeJpBN8A5ViW8
          2zUaUOfg/qfJnA0SuOnzRLQKQf5JtC0MFUsFpn+VXMVrJFMRyhufFfyqdW/zRqOIBTgesv9TVxK4
          DbHTcR+J7uOAPNnOcRtpe0MxQ5SB9fEAwrvi/UtqjCow49HuDirjoUltPR5bA4uBjVXQhcacBiXH
          DDs2TfpLJ+T7A+4tmqLG8c5vJ9+Rw3OxuhZSUjjz5RGNF4YDr7weKtZj0jG0b8AIHjB8Nql4WQqq
          RMRfsk1qM71ripHOqgKyaihC/wbbUs1f5f/i+w==</typ:signature>
        </result>
      </m:billerBillUploadPullModeResponse>
    </env:Body>
  </env:Envelope>
```

```
</env:Body>  
</env:Envelope>
```

2.2 Bill Payment Management

2.2.1 Bill Presentment

2.2.1.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER BILL PRESENTMENT

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:bil="http://service/Biller_bill_presentment.wsdl"  
xmlns:typ="http://service/Biller_bill_presentment.wsdl/types/">  
  <soapenv:Header/>  
  <soapenv:Body>  
    <bil:billerBillPresentment>  
      <wsRequest>  
        <typ:paramIn>  
          <typ:billerCode>BL0801</typ:billerCode>  
          <typ:bankCode>01</typ:bankCode>  
          <typ:inquiryMode>O</typ:inquiryMode>  
          <typ:billingsRec>  
            <!--Zero or more repetitions:-->  
            <typ:array>  
              <typ:billingNo>BN_0071</typ:billingNo>  
              <typ:billNo>BL_0002</typ:billNo>  
              <typ:serviceType>FixedLine</typ:serviceType>  
              <typ:dateFrom>201901010000</typ:dateFrom>  
              <typ:dateTo>201904010000</typ:dateTo>  
              <typ:incPaidBills>N</typ:incPaidBills>  
            </typ:array>  
          </typ:billingsRec>  
        </typ:paramIn>  
        <typ:signature>zrsX7gxLoC+QTRDCBjTvFv4DCuR+8+vpZQaoE3o6lbXaG8gsKsWL37p8wVNxIC1LAokQFi3rpkiz  
7Rwt8/b5kC+VkoStZTc+m2vgZAFcc67WX5JiQCHHeMTf459IDlJSXhmHrpXFvX8byMIOK5ZiLb7F  
1LqpiaB3Q7VJXIZ4YTSVFuO+Ar3InjbcjXP4W3uZU+rxFFSG7SRz0Y7ry6UI1nXr5njE37hS+VP9  
UUyuGTj/qBxbzKPCVMkpfbk6PMzoS+VlciV4EuesBr330SSU76VpZYa1UDy0Y3uUezZUaz4bAgRR  
dDIKpC1YQa4iPxVFNXwv7Fcs7UbZ+N+9x7X3rQ==</typ:signature>  
      </wsRequest>  
    </bil:billerBillPresentment>  
  </soapenv:Body>
```

```
</soapenv:Envelope>
```

2.2.1.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER BILL PRESENTMENT

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <env:Header/>
  <env:Body>
    <m:billerBillPresentmentResponse xmlns:m="http://service/Biller_bill_presentment.wsdl">
      <result>
        <typ:paramOut xmlns:typ="http://service/Biller_bill_presentment.wsdl/types/">
          <typ:errorCode>000</typ:errorCode>
          <typ:errorDescription>SUCCESSFUL</typ:errorDescription>
          <typ:billingsRec>
            <typ:array>
              <typ:billingNo>BN_0071</typ:billingNo>
              <typ:billNo>BL_0002</typ:billNo>
              <typ:billStatus>BillNew</typ:billStatus>
              <typ:dueAmount>3000.25</typ:dueAmount>
              <typ:issueDate>20190227140000</typ:issueDate>
              <typ:openDate>20190227140000</typ:openDate>
              <typ:dueDate>20190327140000</typ:dueDate>
              <typ:expiryDate>20190427140000</typ:expiryDate>
              <typ:closeDate>20190427140000</typ:closeDate>
              <typ:serviceType>FixedLine</typ:serviceType>
              <typ:billType>OneOff</typ:billType>
              <typ:allowPart>Y</typ:allowPart>
              <typ:lowestToPay>100</typ:lowestToPay>
              <typ:highestToPay>3000.25</typ:highestToPay>
              <typ:allowOver>N</typ:allowOver>
              <typ:highestToOverPay>0</typ:highestToOverPay>
              <typ:message>This is a bill of 03/2019 :)</typ:message>
            </typ:array>
            <typ:array xsi:nil="true"/>
          </typ:billingsRec>
        </typ:paramOut>
        <typ:signature
xmlns:typ="http://service/Biller_bill_presentment.wsdl/types/">llKOKsiNiiCOP72hrI+dzbKHZxEXgmKuoCO2qSn9vqSorSb
HwwpRPDfdAG/29xKPeJpBN8A5ViW8
2zUaUOfg/qfJnA0SuOnzRLQKQf5JtCOMFUsFpn+VXMVrJFMRyhuffYqdW/zRqOIBTgesv9TVxK4
DbHTcR+J7uOAPNnOcRtpe0MxQ5SB9fEAwRvi/UtqjCow49HuDirjoUltPR5bA4uBjVXQhcacBiXH
```

```
DDs2TfpLJ+T7A+4tmqLG8c5vJ9+Rw3OxuhZSUjJz5RGNF4YDr7weKtzJ0jG0b8AIHjB8Nql4WQqq
RMRfsk1qM71ripHOqgKyaihC/wbbUs1f5f/i+w==</typ:signature>
</result>
</m:billerBillPresentmentResponse>
</env:Body>
</env:Envelope>
```

2.2.2 Bill Payment

2.2.2.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER BILL PAYMENT

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bil="http://service/Biller_bill_payment.wsdl" xmlns:typ="http://service/Biller_bill_payment.wsdl/types/">
<soapenv:Header/>
<soapenv:Body>
<bil:billerBillPayment>
<wsRequest>
<typ:paramIn>
<typ:billerCode>BL0801</typ:billerCode>
<typ:bankCode>01</typ:bankCode>
<typ:transRec>
<!--Zero or more repetitions:-->
<typ:array>
<typ:billingNo>BN_0071</typ:billingNo>
<typ:billNo>BL_0002</typ:billNo>
<typ:serviceType>FixedLine</typ:serviceType>
<typ:bankTrxId>b000187652341</typ:bankTrxId>
<typ:EBPPSTrx>911502514807</typ:EBPPSTrx>
<typ:stmtDate>20190425</typ:stmtDate>
<typ:pmtStatus>PmtInProg</typ:pmtStatus>
<typ:dueAmt>3000.25</typ:dueAmt>
<typ:paidAmt>2000</typ:paidAmt>
<typ:processDate>20190425224137</typ:processDate>
<typ:accessChannel>Mobile</typ:accessChannel>
<typ:paymentMethod>WALLET</typ:paymentMethod>
<typ:paymentType>One-shot</typ:paymentType>
<typ:currency>760</typ:currency>
</typ:array>
</typ:transRec>
</typ:paramIn>
<typ:signature>KjHXDzQMffsEVLmoFUK7D6FAGuIJ4ZJoz3eD441pmtQOrYfYu+LKyi8XeK86u3EZJgJK74mLFzk6
```

Syrian Electronic Payment Co.

Joint-Stock Company, Nominal Capital SYP 1 billion

Registered under CR#17581

الشركة السورية للمدفوعات الإلكترونية

شركة مساهمة مغلقة رأسمالها الاسمي: مليار ليرة سورية
تملك الدولة ممثلة بالخزينة العامة أسهمها كافة
مسجلة في السجل التجاري تحت الرقم 17581

```
PtuobzzVERfxFUevLu0oQzRTac08iBfPkW/6uLKmuaNWOzsdSXu+nt8W4UF+/+4dWyBrKJQGn5o/  
eeT4hTr1UI4Xzg6XDf2m3RSP6ceh4qH1bx+B12IH7aqKZWJe1DzouEUJNwt1ifspRdD75a2eGxhl  
OyXUK7XuOI1Qk5FIYTC7RVcvqhRcLNu87q8UTmInDhMUqGMCwPfQb492njRVuS6GywNEFDkbyTMI  
iczFuOGooDz3odIsmaXxVMkWpt9TL6c518iXRw==</typ:signature>  
</wsRequest>  
</bil:billerBillPayment>  
</soapenv:Body>  
</soapenv:Envelope>
```

2.2.2.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER BILL PAYMENT

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">  
<env:Header/>  
<env:Body>  
<m:billerBillPaymentResponse xmlns:m="http://service/Biller_bill_payment.wsdl">  
<result>  
<typ:paramOut xmlns:typ="http://service/Biller_bill_payment.wsdl/types/">  
<typ:errorCode>000</typ:errorCode>  
<typ:errorDescription>SUCCESSFUL</typ:errorDescription>  
</typ:paramOut>  
<typ:signature xmlns:typ="http://service/Biller_bill_payment.wsdl/types/">  
jwdFwb9/sli2oGe2kj+S8Lhkly7mLOj34uEHEjkCtXc4g9vUiz4yxVaFihvYAmDxaolMcegOj62s  
wUvpPccC3ZBqbKCvzP6K6entjOOg80rPNrLQEK9zBUgt3G574VbrU+d3Nv1IJIs1Okuj8/p1A3i  
N9ZFZ9rL2D8euk5C4fmS+3NUM+9MEXBH8ohwVf/hjra7Vho0+LGLr7qQFkHWqQQ60PBgoLILPo8  
3gFInhyB5aKYvnf5TvNsMwYTG7KWafu1fjbl+NZG1/DmZFn38ignRmYh7N0G6VK40d9YSRzdQ91u  
vvi5h70cifjRq4LDcot3u9P3b7U+tDPb2tWNSg==</typ:signature>  
</result>  
</m:billerBillPaymentResponse>  
</env:Body>  
</env:Envelope>
```

2.2.3 Bill Payment Notification

2.2.3.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER BILL PAYMENT NOTIFICATION

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:bill="http://service/Biller_bill_payment_notif.wsdl"  
xmlns:typ="http://service/Biller_bill_payment_notif.wsdl/types/">
```

```
<soapenv:Header/>
<soapenv:Body>
  <bil:billerBillPaymentNotif>
    <wsRequest>
      <typ:paramIn>
        <typ:billerCode>BL0801</typ:billerCode>
        <typ:bankCode>01</typ:bankCode>
        <typ:transRec>
          <!--Zero or more repetitions:-->
          <typ:array>
            <typ:billingNo>BN_0071</typ:billingNo>
            <typ:billNo>BL_0002</typ:billNo>
            <typ:serviceType>FixedLine</typ:serviceType>
            <typ:bankTrxId>b000187652341</typ:bankTrxId>
            <typ:EBPPSTrx>911502514807</typ:EBPPSTrx>
            <typ:stmtDate>20190425</typ:stmtDate>
            <typ:pmtStatus>PmtNew</typ:pmtStatus>
            <typ:dueAmt>3000.25</typ:dueAmt>
            <typ:paidAmt>2000</typ:paidAmt>
            <typ:processDate>20190425224137</typ:processDate>
            <typ:accessChannel>Mobile</typ:accessChannel>
            <typ:paymentMethod>WALLET</typ:paymentMethod>
            <typ:paymentType>One-shot</typ:paymentType>
            <typ:currency>760</typ:currency>
          </typ:array>
        </typ:transRec>
      </typ:paramIn>
      <typ:signature>sPEAYHbv+G8yUsPBljypbb81TSSw2soK6qBmktlLbhXRk3FTa+siq3Pw3dw7tS6aW6UzQVQEhJKo
1C4ukKzxfUqrEzVj+1EPD2pUJyCepjX6Tov2Lv2zIghXZ5bNKFDmNynJfmI9Js2JYioZ/laiZtRZ
y3Bq4IN7EeUSzGboKKJ+dW0G7w9/1xvPhda85qxfKZdd9SXPvG2iynKh9uVM/7iEuJCO+X4CYj9e
s9emzeT0k4F96HA2Q3GUgEEWVYitV7z8aC2LDroaME7AboS/TU6YnrU9alG0VjNd+PINCq76cVpw
FrnGeebgiO7JNr3qfjiigeAPltwnYzEgeozXbA==</typ:signature>
    </wsRequest>
  </bil:billerBillPaymentNotif>
</soapenv:Body>
</soapenv:Envelope>
```

2.2.3.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER BILL PAYMENT NOTIFICATION

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
  <env:Header/>
```

```
<env:Body>
  <m:billerBillPaymentNotifResponse xmlns:m="http://service/Biller_bill_payment_notif.wsdl">
    <result>
      <typ:paramOut xmlns:typ="http://service/Biller_bill_payment_notif.wsdl/types/">
        <typ:errorCode>000</typ:errorCode>
        <typ:errorDescription>SUCCESSFUL</typ:errorDescription>
      </typ:paramOut>
      <typ:signature xmlns:typ="http://service/Biller_bill_payment_notif.wsdl/types/">
jwdFwb9/sli2oGe2kj+S8Lhkly7mLOj34uEHEjkCtXc4g9vUiz4yxVaFihvYAmDxaolMcegOj62s
wUvpPcqC3ZBqBKcvzP6K6entjOOg80rPNrLQEK9zBUgt3G574VbrU+d3Nv1IJIs1Okuj8/p1A3i
N9ZFZ9rL2D8euk5C4fmS+3NUM+9MExBH8ohwVf/hjra7Vho0+LGLr7qQFkHWqQQ60PBgoLILPo8
3gFlnhyB5aKYvnf5TVNsMwYTG7KWafu1fjbl+NZG1/DmZFn38ignRmYh7N0G6VK40d9YSRzdQ91u
vvi5h70cifjRq4LDcot3u9P3b7U+tDPb2tWNSg==</typ:signature>
      </result>
    </m:billerBillPaymentNotifResponse>
  </env:Body>
</env:Envelope>
```

2.3 Pre-Paid Management

2.3.1 Pre-paid Inquiry

2.3.1.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER PRE-PAID INQUIRY

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bil="http://service/Biller_prepaid_inquiry.wsdl"
xmlns:typ="http://service/Biller_prepaid_inquiry.wsdl/types/">
  <soapenv:Header/>
  <soapenv:Body>
    <bil:billerPrepaidInquiry>
      <wsRequest>
        <typ:paramIn>
          <typ:billerCode>BL0801</typ:billerCode>
          <typ:bankCode>01</typ:bankCode>
          <typ:prepaidRec>
            <typ:billingNo>00212661469673</typ:billingNo>
            <typ:serviceType>Internet</typ:serviceType>
            <typ:denomination></typ:denomination>
            <typ:dueAmount>1000</typ:dueAmount>
          </typ:prepaidRec>
        </typ:paramIn>
      </wsRequest>
    </bil:billerPrepaidInquiry>
  </soapenv:Body>
  <typ:signature>hCptmO9S0zfdg5PGA5Dni3If4iS5AhKHyaJ9+oYeC1Cee/3BZJlhdX8/ukN2eLlfbQcWX/tNNP50
</typ:signature>
```

```
ZjfMOiaTtL2hHVx5afP5DPbLA0WydUsPXd5wEnr7IxZrDNgnbtyunNe9fA1rFRxQhZwxu/SahCT8
AT9dRxIzfQwl1XUbpsLm2oBmk43/IViOY1KXbqlqr9gGish6T+Q2V2kV70Myj64LmQ9F2vbhQ7Sq
X8J2TzUDxTzhqnEM+qx6yPD1csyLO/gMSauUciUn3GO5kcBhEY803Ikcy1Hd0BGUSPcW62DQqGX
CcZXMfB54hitAWItUUtOdu0HN5Sx6oKBRRkuAg==</typ:signature>
</wsRequest>
</bil:billerPrepaidInquiry>
</soapenv:Body>
</soapenv:Envelope>
```

2.3.1.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER PRE-PAID INQUIRY

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
  <env:Header/>
  <env:Body>
    <m:billerPrepaidInquiryResponse xmlns:m="http://service/Biller_prepaid_inquiry.wsdl">
      <result>
        <typ:paramOut xmlns:typ="http://service/Biller_prepaid_inquiry.wsdl/types/">
          <typ:errorCode>000</typ:errorCode>
          <typ:errorDescription>SUCCESSFUL</typ:errorDescription>
          <typ:prepaidRec>
            <typ:dueAmount>1000</typ:dueAmount>
            <typ:message>This is a message of biller :)</typ:message>
          </typ:prepaidRec>
        </typ:paramOut>
        <typ:signature xmlns:typ="http://service/Biller_prepaid_inquiry.wsdl/types/">
          OMMdudRE0YE0waeuFgHgPmlEziN25M2pB/eUISJT9E1E7gkFEpn8qByMSNFQbFoja/azvpDrztEn
          XbrkZztf3GTGzYyd6oJM2i+ttwwTXhWaXOeQsknX8nUhqoZoBEqIzSGGd7R0Y1eUeWNI7U9P9Ej
          XlaiNjhTFUJ3O3mtNSjuhHT1UaSBuZuxLdzEJ+zzDE0BuY7i/5alCkzOO7zyOxIjTXLrk75InGS
          b2WSX6YHd7d2pMurjGItD+J4k2IO0AvFQzHMYsbFz3BY2/88vejPLYAyiWwzEjYbW5dH3Qn2wD
          TkoVyET2YfcP3eFFtBZ1GAnUb5udbM2eqXYcnw==</typ:signature>
        </typ:signature>
      </result>
    </m:billerPrepaidInquiryResponse>
  </env:Body>
</env:Envelope>
```

2.3.2 Biller Pre-paid Payment

2.3.2.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER PRE-PAID PAYMENT

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bill="http://service/Biller_prepaid_payment.wsdl"
xmlns:typ="http://service/Biller_prepaid_payment.wsdl/types/">
  <soapenv:Header/>
  <soapenv:Body>
    <bill:billerPrepaidPayment>
      <wsRequest>
        <typ:paramIn>
          <typ:billerCode>BL0801 </typ:billerCode>
          <typ:bankCode>01 </typ:bankCode>
          <typ:transRec>
            <typ:billingNo>00212661469673 </typ:billingNo>
            <typ:serviceType>Internet </typ:serviceType>
            <typ:denomination> </typ:denomination>
            <typ:bankTrxId>b000133400423 </typ:bankTrxId>
            <typ:EBPPSTrx>911502514808 </typ:EBPPSTrx>
            <typ:stmtDate>20190426 </typ:stmtDate>
            <typ:pmtStatus>PmtInProg </typ:pmtStatus>
            <typ:dueAmt>1000 </typ:dueAmt>
            <typ:paidAmt>1025 </typ:paidAmt>
            <typ:processDate>20190426111823 </typ:processDate>
            <typ:accessChannel>Mobile </typ:accessChannel>
            <typ:paymentMethod>CASH </typ:paymentMethod>
            <typ:paymentType>One-shot </typ:paymentType>
            <typ:currency>760 </typ:currency>
          </typ:transRec>
        </typ:paramIn>
        <typ:signature>Q7P25YJUNw48ejlR1l+3he2qPgMZG45GCt2ygF3NQOlfhoYOMFURYD1PaZ1wrHAb3u0f6r1Tlazi
QXJ6L00iW+d6kaz2fx0Qba0RuIK37hq4o0IT08OOHc9yyXPU4H1JvEfadCiVb5klk1P1pzUMuDVA
JUvTH/CPxTKOXLa2wbUhVnWnT07liPxDkX2C6jKvliiM2YAhnC9XDnHoM5QhYnBUKGOHjEmnlfDPCM
BFG2al7XQ46+mOauXTd6OTyZ49r0SIHNGnSft9donQvoJoh8FUO8TpHPreTar6kPD7tv8MA/vsIh
BYkYWBICKPtAjCK9PCY5EXsI8dWPn2IsGXrEBQ== </typ:signature>
      </wsRequest>
    </bill:billerPrepaidPayment>
  </soapenv:Body>
</soapenv:Envelope>
```

2.3.2.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER PRE-PAID PAYMENT

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
```

```
<env:Header/>
<env:Body>
  <m:billerPrepaidPaymentResponse xmlns:m="http://service/Biller_prepaid_payment.wsdl">
    <result>
      <typ:paramOut xmlns:typ="http://service/Biller_prepaid_payment.wsdl/types/">
        <typ:errorCode>000</typ:errorCode>
        <typ:errorDescription>SUCCESSFUL</typ:errorDescription>
      </typ:paramOut>
      <typ:signature
xmlns:typ="http://service/Biller_prepaid_payment.wsdl/types/">fad1wjMFJbXpvWqczDsvM/2cTRSVo1JVyfx4E1hgHflnZrd
AYXsUwaS6BBZjF6QxHCu/FT3ZyH
mFbwLsSmemZ2Djbb3K/epcqKA9TYh7ggjpw6gMpXw8pKW1kj6PUhINZXn4y98p4I43lrUhLR8/Po
48rnmcRxyGCrMzXHhO2yUi0BoXdH1NuKTZM8MIZ9uACemoxr07+W6f9DNKhvndGndLURySGIHGnD
s9KaVzDS1/Baekfoon9NlyBE7ARa8I5PL8wkROn+wlxmcXIU1XF6rk0nw26KAejvwTG0g4CiGz24
kr+I0jXOD+It0oMLLUI4hWZTDzYMrnn6sYJTsQ==</typ:signature>
    </result>
  </m:billerPrepaidPaymentResponse>
</env:Body>
</env:Envelope>
```

2.3.3 Biller Pre-Paid Payment Notification

2.3.3.1 SOAP Request

Below is an example of SOAP XML request to be sent by SEP Gateway to Biller:

SOAP REQUEST FOR BILLER PRE-PAID PAYMENT NOTIFICATION

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:bil="http://service/Biller_prepaid_payment_notif.wsdl"
xmlns:typ="http://service/Biller_prepaid_payment_notif.wsdl/types/">
  <soapenv:Header/>
  <soapenv:Body>
    <bil:billerPrepaidPaymentNotif>
      <wsRequest>
        <typ:paramIn>
          <typ:billerCode>BL0801</typ:billerCode>
          <typ:bankCode>01</typ:bankCode>
          <typ:transRec>
            <typ:billingNo>00212661469673</typ:billingNo>
            <typ:serviceType>Internet</typ:serviceType>
            <typ:denomination></typ:denomination>
            <typ:bankTrxId>b000133400423</typ:bankTrxId>
            <typ:EBPPSTrx>911502514808</typ:EBPPSTrx>
            <typ:stmtDate>20190426</typ:stmtDate>
          </typ:transRec>
        </typ:paramIn>
      </wsRequest>
    </bil:billerPrepaidPaymentNotif>
  </soapenv:Body>
</soapenv:Envelope>
```

```

<typ:pmtStatus>PmtNew</typ:pmtStatus>
<typ:dueAmt>1000</typ:dueAmt>
<typ:paidAmt>1025</typ:paidAmt>
<typ:processDate>20190426111823</typ:processDate>
<typ:accessChannel>Mobile</typ:accessChannel>
<typ:paymentMethod>CASH</typ:paymentMethod>
<typ:paymentType>One-shot</typ:paymentType>
<typ:currency>760</typ:currency>
</typ:transRec>
</typ:paramIn>
<typ:signature>vv6yJTUbq/vxmhwymyVWX+6ev4j+m7L+rohLkNHENMVAul/pduN9OCzP//95FbLvFYDUzi757IUI
Vivn1z6pkC279pw3B90hKohlhpDZzlpX082EalzRxrXaMg2n6lv02LlqSCOFABLyfB4hGg/KWOXY
7gXf+IhL1olhohaTDYZ2UXIKEc7whasjLy/uEc9q1s3CKjCgxsiaheccwvh/omCzywZghqMQQ4X
1fDpEWdQ0Bb9WUce3nbLW8gpKCCbXQRhAXUekEcTyijXn/TQPi3RUv8YbD7M1tZtu6AZMI/u1q6R
LX2iRjVKlxSzJzcUpfwYDmv/UPrO7mpV7Af4Zw==</typ:signature>
</wsRequest>
</bil:billerPrepaidPaymentNotif>
</soapenv:Body>
</soapenv:Envelope>
    
```

2.3.3.2 SOAP Response

Below is an example of SOAP XML response that is prepared and signed by Biller and sent to Sep Gateway:

SOAP RESPONSE FOR BILLER PRE-PAID PAYMENT NOTIFICATION

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/">
  <env:Header/>
  <env:Body>
    <m:billerPrepaidPaymentNotifResponse xmlns:m="http://service/Biller_prepaid_payment_notif.wsdl">
      <result>
        <typ:paramOut xmlns:typ="http://service/Biller_prepaid_payment_notif.wsdl/types/">
          <typ:errorCode>000</typ:errorCode>
          <typ:errorDescription>SUCCESSFUL</typ:errorDescription>
        </typ:paramOut>
        <typ:signature xmlns:typ="http://service/Biller_prepaid_payment_notif.wsdl/types/">
          fad1wjMFJbXpvWqczDsvM/2cTRSvo1JVyfx4E1hgHflnZrdAYXsUwaS6BBZjjF6QxHCu/FT3ZYh
          mFbwLsSmemZ2Djbb3K/epcqKA9TYh7ggjpw6gMpXw8pKW1kj6PUhINZXn4y98p4143lrUhLR8/Po
          48rnmCRxgYCrMzXHhO2yUi0BoXdH1NuKTZM8MIZ9uACemoxr07+W6f9DNKhvndGndLURySGIHGnd
          s9KaVzDS1/Baekfoon9NlyBE7ARa815PL8wkRON+wlxmcXIUIXF6rk0nw26KAeJvwTG0g4CiGz24
          kr+I0jXOD+It0oMLLUI4hWZTDzYMrnn6sYJTsQ==</typ:signature>
        </result>
      </m:billerPrepaidPaymentNotifResponse>
    </env:Body>
  </env:Envelope>
    
```

Syrian Electronic Payment Co.
Joint-Stock Company, Nominal Capital SYP 1 billion
Registered under CR#17581

الشركة السورية للمدفوعات الإلكترونية

شركة مساهمة مغلقة رأسمالها الاسمي: مليار ليرة سورية
تملك الدولة ممثلة بالخرزينة العامة أسهمها كافة
مسجلة في السجل التجاري تحت الرقم 17581